



Adding To The Legacy Of An Unconventional Yet Most Suitable Solutions To Attain Sleek And Aesthetic Furniture And Interior Design, Richie's Started The Manufacturing Of A Polymeric Prodigy In The Form Of Edge bands Veena. Check Out Our Range For A Matching Edge-band For Any Laminate Of Your Choice.

Table of

CONTENTS

Purpose & Scope	03
USP	04
Products	04
Application & Details of Products	06-34
Pan India Presence	35
Group of Companies	36
Promotional Activities	37
Connect With Us	38



PURPOSE & SCOPE



RICHIES Will Help You To Have The Best Fit Edge Band Tape For Your Desired Furniture. With A 415+ Rich Range Of Color & Finishes To Choose From. We Have A Keen Eye For The Preferences Of Our Customers & From That Experience We Have Developed Finest Quality Edge Band Which Are Durable For Many Decades. We Are Engaged In Manufacturing And Supplying A Broad Assortment Of Richies Edge Banding Tape.

- Richies Edge Band Tape was incorporated in year 2013.
- We are the team of 100+ employees in the company.
- Annual Turnover of the company is around 15-20 Crore.
- Our Business type is Exporter, Manufacturer, Wholesaler, Distributor, Supplier And Trader.
- It is a major company for PVC edge band tapes and masking tapes.
- Committed to only quality products and best services.
- PVC Edge Banding Tape in solid matt color, wood grain, and other finishes.
- Products are just perfect for making furniture for homes, offices, hotels, and commercial areas.



USP

(Unique Selling Proposition)

PVC Edge Banding Tape

- We deals in a wide range of Edge band shades.
- Perfectly matching with the popular brands of laminates
- Minimum order quantity. As we have latest technology to develop a new shade.
- Richies comes in a quality of products. Free from weather change damage.
- We facilitate the customers to customize the new shades as per the need.
- Customers can enjoy big stock. We've a capacity to supply 90% orders with in same day.

Hotmelt Adhesive

- Hot melt is faster, cost-effective.
- Produces much less volatile organic compounds.
- Extreme thermal stability.



Masking Tape

- Premium Quality! A utility grade Masking Tape.
- Conformable medium-strong adhesion.
- No clean-up needed.

Hotmelt Adhesive

- Silent and smooth operations Drawer - the integrated Silent System closes the drawer quietly and gently.
- Galvanized - long lasting Steel, Nickel-Plated Hinges
- Premium finished products.



PRODUCTS

- PVC Edge Banding Tape
- Masking Tape
- Tandem Box
- Slim Box
- Soft Closing Drawer Slides
- Hotmelt Adhesive
- Pvc Fix Bond
- 3D Edge Bands
- Quadro Channels
- 2D - Soft Close Hinges
- Concealed Slip Hinges- SS304
- Concealed Slip Hinges- SS202
- Door Hinges - SS304
- Door Hinges –SS202
- 3D- Slow Motion Hinges
- Sleek Telescopic Drawer Slide (I)-35-Soft Close
- Door Closer



— PVC EDGE BANDING TAPE —



Edge banding is used to cover the exposed sides of materials such as plywood, particle board or MDF, increasing durability and giving the appearance of a solid or more valuable material.

- PVC Edge Banding Tape
- Solid Matt Color Edge Band Tape
- Solid Super Hi-Gloss Edge Band Tape
- Metallic Edge Banding Tape
- Wood Grain Edge Band Tape
- Wood Grain Super Hi-Gloss Edge Band Tape
- Fabric Textured Edge Band Tape
- Fabric Textured Super Hi-Gloss Edge Band Tape




MRP		MATTE FINISH		SUPER HIGH GLOSS	
SIZE	PACKING	SOLID 1000 SERIES	WOODEN 2000 FABRIC 6000	SOLID 3000	WOODEN 4000
(in meter width & thickness)	(Per Roll Meter)	(Rate Per metre)	(Per Roll Meter)	(Per Roll Meter)	METALLIC 5000 FABRIC 7000 (Rate Per meter)
20 x 0.45	50 & 100	6.40	7.75	8.80	11.05
22 X 0.80	50 & 100	9.95	12.65	15.45	19.85
22 X 0.80 (S)	50 & 100	--	--	22.05	27.55
22 X 1.30 (S)	50 & 100	--	--	33.1	44.1
22 X 1.30	50 & 100	17.8	20.75	24.5	31.8
22 X 2.00	50 & 100	22.5	24.7	31.95	39.7
25 X 0.80	50 & 100	13	16.25	19.25	24.25
25 X 0.80 (S)	50 & 100	--	--	27	31.95
25 X 2.00	50 & 100	28.25	33.3	39.1	55.15
30 X 0.8	50 & 100	15.75	19.9	23.15	28.95
30 X 2.00	50 & 100	36	37.6	47.4	74.95
45 X 0.8	50 & 100	32.05	42.1	46.85	63.35
45 X 2.00	50 & 100	57.15	63.9	63.4	82.1
55 X 0.8	50 & 100	39.95	52.8	51.8	68.9
55 X 2.00	50 & 100	75	89.9	88.2	110.25
35 X 0.8*	50 & 100	22	29.2	28.65	39.7
40 X 0.8*	50 & 100	25.4	33.7	33.1	45.2
19 X .40*	50 & 100	5.45	6.55	--	--
16 X .40*	50 & 100	4.95	6.05	--	--
65 X 0.8*	50 & 100	59	6.05	79.4	101.45

3D EDGE BANDS

Richies introduced 3D edge band first time in India.

Perfect match for Acrylic Mica.

- No compromise for old style Edge band matching.
- Brilliant Gloss
- Flexible
- Scratch Proof
- No color Fade
- Durable
- Looking Attractive
- Wide range of colors
- Waterproof
- No dirty cut edges



MASKING TAPE

Masking tape is a type of pressure-sensitive tape made of a thin and easy-to-tear paper. It is used mainly in painting, to mask off areas that should not be painted.



Masking tape availatble in

SIZE(meter)	MRP
15	3351
20	5292
25	6450
30	6846
40	5954

• 15Meters • 20Meters • 25Meters • 30Meters • 40Meters

PVC FIX BOND

■ RICHIES LIKE TO INTRODUCE PVC FIX BOND.

The main reasons that PVC is such a popular choice for edge banding are: It is inexpensive; It Boasts a long life. Best solution for fixing Acrylic/ PVC sheets, Helpful for manual edge binding, Good for PVC edge binding & Saves cost.

- The main reasons that PVC is such a pop Fevicol Pro-bond is a specialized adhesive for pasting PVC Sheets, Acrylic Sheets and primer coated edge banding tapes on wood and plywood surfaces. It needs to be applied on only one surface for pasting PVC edge banding tapes and on both the surfaces for pasting Acrylic or PVC laminate sheets. ular choice for edge banding are: It is inexpensive; It Boasts a long life. Best solution for fixing Acrylic/ PVC sheets, Helpful for manual edge binding, Good for PVC edge binding & Saves cost.

ML	MRP/BOTTLE	BOTTLE QTY.
250 ML	94	48
500 ML	176	30
1000 ML	341	20



HOTMELT ADHESIVE

The hot melt adhesive is suitable for low to middle **Hotmelt adhesive has the following characteristics:**



- Excellent hot tack and permeability that can achieve high strength.
- Low density. Compared to filler type of hot melt glue with same weight, it has 20% to 50% more volume.
- Fast curing that can leverage production efficiency.
- High bonding strength for wood materials that can reach the level of braking materials. The glue also has high adhesion strength on plastic material.



RICHIES PVC HOTMELT GLUE - MANUAL

GLUE	COLOUR	TEMPERATURE	COVERAGE /- KG	18% GST INCLUDE	SPECIFICATION
RICHIES 303.9	TRANSPARENT	140 ± 10°	250 RUNNING MTR	510	1 BAG-25 KG
RICHIES 303.6	SEMI- TRANSPARENT	140 ± 10°	250 RUNNING MTR	490	1 BAG-25 KG
RICHIES 108	WHITE	140 ± 10°	250 RUNNING MTR	415	1 BAG-25 KG

RICHIES PVC HOTMELT GLUE - AUTOMATIC

GLUE	COLOUR	TEMPERATURE	COVERAGE /- KG	18% GST INCLUDE	SPECIFICATION
RICHIES 313	TRANSPARENT	180 ± 10°	250 RUNNING MTR	660	1 BAG-25 KG
RICHIES 213	SEMI- TRANSPARENT	180 ± 10°	250 RUNNING MTR	540	1 BAG-25 KG
RICHIES 118	WHITE	180 ± 10°	250 RUNNING MTR	458	1 BAG-25 KG

TANDEM BOX

- Powder coated white finish
- Simple assembly, easy set up, excellent durability
- Newly designed integrated mechanism, can bear up to 45kgs load Ultra smooth, silent & effortless closing
- Full extension for direct access & good view
- 2-dimensional front adjustment
- Single & double railing options



APPLICATION OF TANDEM BOX



SIZE(Inch)	MRP
4	1530
6	1690
8	1840

SLIM BOX

- This Impressively slim drawer profile, thickness of only 14mm
- Available with fascia bracket for wooden drawers and without fascia bracket for kitchens baskets.
- Simple assembly, easy set up, excellent durability.
- Full extension for direct access & good view
- Full extension with soft close and tool free assembly and removal of drawers.
- Height adjustment: 0 ~ +3mm.
- Ultra smooth, silent & effortless closing



APPLICATION OF SLIM BOX



SIZE(mm)	MRP
86	1650
118	1820
150	1990
182	2160

SOFT CLOSING DRAWER SLIDES

- Extend the life of the drawer by minimizing stress on the hinges, drawer rails, and drawer stops. They also protect the finish of the drawer.
- Ensure that the drawers will always be closed — no more half open drawers that draw attention away from the beauty of your furniture and are a nuisance!
- Add to the value of the furniture, since more care and consideration are taken when installing them.
- Help the items in the drawer stay organized and protect any fragile items from being damaged.



Application Of Soft Closing Drawer Slides —



— SLEEK TELESCOPIC DRAWER SLIDE (I)-35mm —



- Extend the life of the drawer by minimizing stress on the hinges, drawer rails, and drawer stops. They also protect the finish of the drawer.
- Ensure that the drawers will always be closed — no more half open drawers that draw attention away from the beauty of your furniture and are a nuisance!
- Add to the value of the furniture, since more care and consideration are taken when installing them.
- Help the items in the drawer stay organized and protect any fragile items from being damaged.



Application Of Sleek Telescopic Drawer Slide



QUADRO CHANNELS

- Quadro slides have a supreme track record for quality and reliability.
- Dirt doesn't stand a chance in a Quadro slide. The system is self-cleaning. Any dirt is simply swept aside by the steel ball bearings as they trace along the track. Even after a long life, the silky-smooth action will not be impaired by dirt particles.
- Steel ball bearings never lose their perfectly round shape even when they're on the move and under pressure. Depending on the Quadro version, up to 180 precision balls made of hardened steel guarantee the incredibly smooth sliding action.



Application of Quadro channels



SIZE(inch)	MRP
12	580
14	610
16	640
18	670
20	700

2D- MS SOFT CLOSE HINGES

- Material - Steel Iron Heavy Auto Close Hinge With Silver Finish for corrosion resistance. Covers provided to avoid dust
- Wide 110 Degree opening angle for easy storage in cabinet
- Concealed hinges for easy installation
- Cup Depth 11.5 mm
- Suitable for cabinet doors from 14 mm to 22 mm thickness



3D- MS SLOW MOTION HINGES



- Mounting plate has three-way adjustment (3D)
- Unique built-in damping system allows the shutter to close in slow motion without banging
- Available in Full overlay, Half overlay & Inset
- Max opening: 105°
- Max. Shutter size: 34" x 22" (850mm x 550mm) for 2 hinges
- Shutter Thickness: 16mm to 19mm
- Shutter cavity: Ø35mm, 12 deep, cavity 4mm from edge
- Finish: Nickel Plated

APPLICATION OF SOFT CLOSE HINGES

TYPE	MRP
2D	88
3D	130



2D SLOW MOTION HINGES- SS304



- Unique built-in damping system allows the shutter to close in slow motion without banging
- Available in Full overlay & half overlay
- Max. opening: 105°
- Max. shutter size: 34" x 22" (850mm x 550mm) for 2 hinges
- Shutter thickness: 16mm to 19mm
- Shutter cavity: $\varnothing 35\text{mm}$, 12mm deep, cavity 4mm from edge
- Finish: Electro polished

2D- SS SOFT CLOSE HINGES

- Unique built-in damping system allows the shutter to close in slow motion without banging
- Available in Full overlay & half overlay
- Max. opening: 105°
- Max. shutter size: 34" x 22" (850mm x 550mm) for 2 hinges
- Shutter thickness: 16mm to 19mm
- Shutter cavity: ø35mm, 12mm deep, cavity 4mm from edge
- Finish: Electro polished




3D- SS SOFT CLOSE HINGES



- Unique built-in damping system allows the shutter to close in slow motion without banging
- Manufactured from high grade steel for longevity
- Clip on mechanism for easy installation and removal of shutters
- Provides ease in maintenance of cabinet
- Wide opening angle for easy storage in cabinet
- Nickle plated for corrosion resistance
- Shutter cavity: Ø 35mm, 11.5mm deep

APPLICATION OF SOFT CLOSE HINGES —



TYPE	MRP
2D- SS304118	232
2D - SS	110
3D - SS	170



DOOR HINGES - SS304

- Made from SS304
- These hinges are designed with precision ball bearings
- Built for long life and smooth working
- Suitable for doors of different sizes and weight
- Available with screws



DOOR HINGES - SS202



- Made By Stainless Steel.
- Compatible For All Type of Wooden Door.
- Fireproof, New Welded Technology, CE Certified, Single Axis Core.
- Leak proof Butt Hinges With Weatherproof Grease.
- 500000 Cycles Tested.

DOOR HINGES



GLUE	LENGTH(In)	WIDTH(In)	THICKNESS(mm)	SS-202	SS-304	MRP/CARTOON
BB1	3	2.5	2.0	83.75	125	300
BB2	3	2.5	2.5	93.75	135	300
BB3	4	3	2.5	118.75	177.5	250
BB4	4	3	3.0	137.5	208.75	150
BB5	5	3	2.5	137.5	197.5	250
BB6	5	3	3.0	162.5	250	150
BB7	5	3.5	3.0	162.5	302.5	150

DOOR CLOSER

- Door width (mm) 600 - 800mm.
- Door weight (kg) upto 45 kgs.
- Adjustable section of closing speed 180° - 20°.
- Adjustable section of latching speed 20° - 0°.
- The door closer is suitable for installing in various doors, such as a wooden door, metal door, glass door, etc.
- The installation modes of vertical, parallel and slide - rail type all can be chosen at will.
- Continuous adjustment of closing and latching speed the fast speed can be adjusted to within 3 seconds from 90°, slowness close can reach to 60 seconds or more.
- 5,00,000 cycles tested.



APPLICATION OF DOOR CLOSER



Product	MRP
DOOR CLOSER	690



PAN INDIA PRESENCE



- Bellary
- Bangalore
- Chennai
- Cochin
- Dehradun
- Delhi
- Ghaziabad
- Guwahati
- Gurgaon
- Hosur
- Hyderabad
- Lucknow
- Ludhiana
- Mangalore
- Meerut
- Mumbai
- Mysore
- Nasik
- Nagpur
- Noida
- Siliguri
- Udaipur
- Vishakhapatnam

Other Countries

- Nepal
- Bangladesh

GROUP OF COMPANIES



Ankur Industries (Hardware Products)
Hardware Fashion City (Hardware Products)


PROMOTIONAL ACTIVITIES



We had participated in most of the exhibitions for promoting the brand image of RICHIES

our last year participations


HBLF SHOWINDEX
(AHMEDABAD)



MUMBAI
(MUMBAI)



DELHI WOOD
(GREATER NOIDA)



SASWAT
(DELHI)





THANK YOU

Reach out to us at

573, Udyog Vihar Industrial Area Phase VI, Sector 37, Haryana 122004, Gurugram, India

Call Us On :- +91-8048035678 | Mail Us :- @ rajiv@veenapolymers.com